


6' Champion Perforated Metal Direct Bury Multi-Pedestal Picnic Table

924-3P6




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	642-0P3	6' Champion Perforated Table Top	1
2	630-080	TABLE PEDESTAL	2
3	631-020	Bench Stand DB w/o Back (QS)	4
4	622-0P3	6' Champion Perforated Seat/Back	2
5	516-058	3/8"x1-1/2" SS Hex Bolt	12
6	516-023	3/8" SS Flat Washer	24
7	516-028	3/8" SS Nylock Nut	12




PREMIER POLYSTEEL











- Bore 6no. 10" diameter holes into the ground as per drawing.
- The holes should be at least 30" deep as shown or below the frost line in your area, 2. which ever is greater.
- Place 4-6" of pea rock in hole.
- Drill out the plastic from all mounting holes on the table, seats and posts with a 7/16"
- 5. Place the pedestal posts into the holes and support them.
- Bolt the table top and seats onto the pedestal posts using bolts provided. 6.
- 7. Level table and seats and adjust to desired height. Recommended height is 30" from the ground to the top of the table and 20" to seats.

 Fill the holes with concrete to approximately 2" below ground level or fill to no higher
- 8. than ground level and crown the top so that water will run off.
- 9. Let stand for 24 hours before removing the supports.

Periodic check of bolts tightness reccommended







Level Drill





In accordance to California law: WARNING - This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.



PREMIER POLYSTEEL



The Best Commercial Outdoor Furniture Available. Period